Safety Data Sheet - WoCa Wood Cleaner

0. General:

: means no data or not relevant

1. Identification:

Product name: WoCa Wood Cleaner Product Category: Application: Basic cleaning.

Measures by accident/poisoning: Bring the packaging or the product information data sheet when seeking medical attention. In Denmark: for information bout the proper treatment, the doctor may call the poison information at Bispebjerg Hospital, phone +45 35 31 60 60

2. Composition/Information on Ingredients:

Hazardous compounds in accordance with EC Directives 1999/45/EEC; 2001/59/EEC (symbol and R-phrases are stated for the pure compound). Any volatile compounds are stated in item 8 in units of ppm.

| Contains: | Weight %: | Classification: |
|--|-----------|-----------------|
| Alkylpolyglucosid CAS No.: 94038-1 | < 5 | Xi, R41 |
| C13-oxoalcohol 8 EO CAS No.: 69011-36-5 | < 5 | Xn, R22, R41 |
| Alcohol ethoxylate CAS No.: 94038-2 | < 1 | Xi, N, R38, R50 |

3. Hazards Identification:

Main Toxicological and Ecological hazards: Eye irritant. Symptoms: -

4. First Aid Measures:

General information: Bring this Safety Data Sheet with you to physician/emergency room. If in doubt, Also see para. 1 Inhalation: Fresh air.

Contact with eyes: Open your eye wide. Immediately rinse with water for at least 15 minutes. Seek medical attention.

Contact with skin: Rinse with water.

Ingestion: Rinse mouth and then drink plenty of water.

5. Fire-fighting Measures:

Suitable extinguishing media: Not flammable. Use extinguishing media appropriate for surrounding fire.

Extinguishing media that must not be used: -

Special hazards:

Special protective equipment: See item 8.

General information: If possible remove the product - otherwise keep it cooled with water.

6. Accidental Release Measures:

Personal precautions: Wear personal protection - see item 8. Environmental precautions: See item 13.

Methods for cleaning up: Absorb large spills using absorbing material and deliver to an approved receiving station for hazardous waste. Small quantities of spilled material may be flushed to drains with plenty of

7. Handling and Storage:

Handling: Avoid contact with eyes. Do not mix with acidic products. Working routines should be implemented to reduce spill or any other form of spreading.

Storage: Store in closed original receptacle.

Specific Environmental Protection Precautions: To prevent leakage, containers in use must be carefully closed and stored in upright position. Durability: 36 months

8. Exposure Control/Personal Protection:

Engineering Control Measures: Eye rinsing bottle and plenty of water must be available.

Respiratory Protection: -

Hand Protection: If possible use protective gloves made of rubber. Eye-Protection: Wear protective goggles if there is risk of splashing. Skin-Protection:

General information: Workplace and methods must be arranged to prevent all direct contact with the product.

9. Physical and Chemical Properties:

Form: Liquid Specific volume: 1,06 g/cm3 pH-value (conc.): 11,5

10. Stability and Reactivity:

Stability: The product is stable in normal use.

11 Toxicological Information:

Contact with skin: Skin irritant.

Contact with eyes: Splash in eye will cause conjunctival irritation Often

the irritation is only noticed after some time.

Chronic effects: None known.

General information:

C13-oxoalcohol 8 EO: LD50 Oral Rat = >200-<2000 mg/kg Alcohol ethoxylate: LD50 Oral Rat = >2000 mg/kg

C13-oxoalcohol 8 EO:

Skin (Rabbit) = Non-irritant OECD 404

Eyes (Rabbit) = Irritant, risk of serious damage to eyes OECD 405

Alcohol ethoxylate:

Skin (Rabbit) = Irritate OECD 404 Eyes (Rabbit) = Irritate OECD 405

12. Ecological Information:

Ecotoxicity: Contains a substance, which is very toxic to aquatic organisms. Contains a substance, which is toxic to aquatic organisms, however, it is easily degradable and, therefore, needs not be classified as harmful to the environment. The remaining substances contained in this product are only faintly toxic to aquatic organisms and, therefore, need not be classified as dangerous to the environment (LC, EC and IC >100 mg/l).

LC50 (96 h) >100 - 500 mg/l

Mobility:

Degradability: The organic substances in this product are easily biodegradable according to OECD test method 301 A-F.

Accumulation: General information:

Alkylpolyglucosid

Toxicity(fish):

Toxicity(Water fleas):

Toxicity(algae):

OECD 301 D, >70% (28 days), Ready Degradability:

biodegradability

Accumulation: Mobility: Misc.:

C13-oxoalcohol 8 EO

Toxicity(fish):
Toxicity(Water fleas): LC50 (96 h) 1-10 mg/l EC50 (48 h) 1-10 mg/l Toxicity(algae): Degradability:

IC50 (72 h) 10-100 mg/l OECD 301 A, >70% (28 days), Ready

biodegradability COD, 2100 mg/g

Mobility:

Accumulation:

Alcohol ethoxylate

LC50 (96 h) <1 mg/l Toxicity(fish):

WoodCare Denmark A/S Havnevej 17 DK-9560 Hadsund Tel. +45 99 58 56 00 Fax +45 99 58 56 34 woodcaredenmark.com



Wood care Safety data Page 2 December 2005

Toxicity(Water fleas):
Toxicity(algae):
Degradability:

Accumulation: Mobility:
Misc.: Easily biodegradable.

.....

13. Disposal Considerations:

General information: EAK code applies to product remnants in pure

form.

Disposal considerations: This product is considered to be hazardous waste. Dispose of spill and unused material in accordance with local regulations e.g. disposal to an approved receiving centre for chemical waste.

Waste code: 20 01 30

detergents other than those mentioned in 20 01 29

14. Transport Information:

The product is not comprised by transport regulations of dangerous goods.

15. Regulatory information

General information: In accordance with the EC Directives 1999/45/EEC; 2001/59/EEC Statutory Order on classification, packaging, labelling, sale and storage of chemical substances and products. The product is marked as follows:

Labelling:

S(2) Keep out of the reach of children.

Uses and Restrictions: Not to be handled by individuals

under the age of 18 years, according to Danish Ministry of Employment's ministerial order No. 516 of 14th June 1996, concerning young people in

Special Education: None specific - should only be used by persons who are instructed about the hazardous properties of the product.

16. Other Information:

R22 Harmful if swallowed.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R50 Very toxic to aquatic organisms.

Final remarks: The information in this Safety Data Sheet is based upon the information available at the time of its preparation.

The Safety Data Sheet is issued according to present EEC legislation. The product has not been tested, however, the information about the product is based on knowledge of the dangerous properties of the contained substances together with knowledge about similar products.

Alterations have been carried out as a general update of the data sheet.

References: -

Date of revision: April 2005





SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Master Floor Oil

Product no.

REACH registration number

Not applicable

Other means of identification

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

wood surfaces, indoors

Uses advised against

The full text of any mentioned and identified use categories are given in section 16

1.3. Details of the supplier of the safety data sheet

Company and address

WoodCare Denmark A/S

Tværvei 6

6640 Lunderskov

Denmark

Tel: 99585600

Fax: 99585634

Contact person

LFH

E-mail

info@ttwoodcare.com

SDS date

02-10-2013

SDS Version

1.4. Emergency telephone number

Use your national or local emergency number

See section 4 "First aid measures"

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Aquatic Chronic 3 // EUH066, H412

See full text of H/R-phrases in section 2.2.

DPD/DSD Classification

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. (R52/53). Repeated exposure may cause skin dryness or cracking. (R66).

2.2. Label elements

Hazard pictogram(s)

Signal word

Hazard statement(s)

Harmful to aquatic life with long lasting effects. (H412)



Identity of the substances primarily responsible for the major health hazards

General Read label before use. (P103)

Keep out of reach of children. (P102)

Safety If medical advice is needed, have product container or label at hand. (P101)

statement(s) Prevention Avoid release to the environment. (P273)

Response - Storage -

Disposal Dispose of contents/container to an approved waste disposal plant. (P501)

2.3. Other hazards

Contains drying oils. Risk of self-ignition. After spills and used cloths, etc. have been recovered, store in fireproof waste disposal containers before destroying. This product contains teratogenic substances, which can cause long-term damage to the human embryo.

The product contains substances that can damage the reproductive system.

This product contains an organic solvent. Repeated exposure to organic solvents can result in damage to the nervous system and inner organs, such as the liver and kidneys.

Additional labelling

Contains cobalt bis(2-ethylhexanoate). May produce an allergic reaction. Repeated exposure may cause skin dryness or cracking. (EUH066)

Additional warnings

voc

VOC-MAX: 45 g/l, MAXIMUM VOC CONTENT (A (SB)): 500 g/l.

SECTION 3: Composition/information on ingredients

3.1/3.2. Substances

NAME: Distillates (petroleum), hydrotreated light

IDENTIFICATION NOS.: REACH-no: 01-2119457736-27

CONTENT: 40-60%

DSD CLASSIFICATION: Xn;R65 R66

CLP CLASSIFICATION: Asp. Tox. 1

H304, EUH066

11004, 2011000

NAME: Naphtha (petroleum), hydrotreated heavy

IDENTIFICATION NOS.: REACH-no: 01-2119457273-39

CONTENT: 1-5%

DSD CLASSIFICATION: Xn;R65 R66

CLP CLASSIFICATION: Asp. Tox. 1

H304, EUH066

NOTE: S

NAME: cobalt bis(2-ethylhexanoate)

IDENTIFICATION NOS.: CAS-no: 136-52-7 EC-no: 205-250-6 REACH-no: 01-2119524678-29

CONTENT: <1%

DSD CLASSIFICATION: Xi;R43 Rep3;R62 N;R50/53

CLP CLASSIFICATION: Eye Irrit. 2, Skin Sens. 1, Rep. 2, Aquatic Acute 1, Aquatic Chronic 1

H317, H319, H361, H400, H410

(*) See full text of H/R-phrases in chapter 16. Occupational limits are listed in section 8, if these are available. S = Organic solvent

Other informations

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor, if in doubt about the injured person's condition or if the symptoms continue. Never give an unconscious person water or similar.

Inhalation

Get the person into fresh air and stay with them.



Skin contact

Remove contaminated clothing and shoes at once. Skin that has come in contact with the material must be washed thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

Eye contact

Remove contact lenses. Flush eyes immediately with plenty of water (20-30°C) for at least 15 minutes and continue until irritation stops. Make sure you flush under the upper and lower eyelids. If irritation continues, contact a doctor.

Ingestion

Give the person plenty to drink and stay with the person. If the person feels unwell, contact a doctor immediately and take this safety data sheet or the label from the product with you. Do not induce vomiting unless recommended by the doctor. Hold head facing down so that no vomit runs back into the mouth and throat.

Burns

Rinse with water until the pain stops and continue for 30 minutes.

4.2. Most important symptoms and effects, both acute and delayed

Reproductive toxicity: This product contains teratogenic substances which can do long-term damage to human offspring. The effects on the child can be: death, deformity, delayed development, and functional disorders.

Reproductive toxicity: This product contains substances which can do damage to reproductive capacity, e.g. damage to germ cells or hormonal regulation. The effects can be: sterility, reduced fertility, menstruation disorders, etc.

Neurotoxic effect: This product contains organic solvents, which can have an effect on the nervous system. Symptoms of neurotoxicity can be: loss of appetite, headache, dizziness, whistling in the ears, tingling sensations in the skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer. The skin will then be more prone to absorb dangerous substances, e.g. allergens.

Sensitivity effects: This product contains substances which can give an allergic reaction on contact with skin. The allergic reaction will typically set in 12-72 hours after exposure as the substance penetrates the skin and reacts with proteins in the outer skin. The body's immune system sees the chemically changed protein as a foreign body and will try to destroy it.

4.3. Indication of any immediate medical attention and special treatment needed

No special

Information to medics

Bring this safety data sheet.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Recommended: alcohol-resistant foam, carbonic acid, powder, water mist. Water jets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

If the product is exposed to high temperatures, as in the case of fire, dangerous catabolic substances are produced. These are: Carbon oxides. Fire will result in thick black smoke. Exposure to catabolic products can damage your health. Fire fighters should use proper protection gear. Closed containers, which are exposed to fire, should be cooled with water. Do not let fire-extinguishing water run into sewers and other water courses.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No specific requirements.

6.2. Environmental precautions

Consider putting up waste collecting trays/basins to prevent leakage to the surroundings. Avoid discharge to lakes, streams, sewers, etc. In the event of a leakage to the surroundings, contact the local environmental authorities.

6.3. Methods and material for containment and cleaning up



Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations. Cleaning should be done as far as possible using normal cleaning agents. Solvents should be avoided.

6.4. Reference to other sections

See section on "Disposal considerations" with regard to the handling of waste. See section on 'Exposure controls/personal protection' for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Because of the danger of self-ignition, any waste from the product, spray mist and soiled rags etc. are to be kept in a fire-proof place in air-tight containers, alternatively the waste is to be burned. Smoking, consumption of food or liquid, and storage of tobacco, food or liquids are not allowed in the workrooms. Consider putting up waste collecting trays/basins to prevent leakage to the surroundings. See section on 'Exposure controls/personal protection' for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Always store in containers of the same material as the original. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Storage temperature

Store frost-free.

7.3. Specific end use(s)

This product should only be used for applications described in Section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

OEL

No data available

DNEL / PNEC

No data available.

8.2. Exposure controls

No control is necessary if the product is used in a normal way.

General recommendations

Smoking, consumption of food or liquid, and storage of tobacco, food or liquid, are not allowed in the workroom.

If there is an appendix to this safety data sheet, the indicated exposure scenarios must be complied.

Exposure scenarios

Exposure limits

There are no maximum exposure limits for the substances contained in this product.

Appropriate technical measures

Take ordinary precautions when using the product. Avoid inhalation of gas or dust.

Hygiene measures

Whenever you take a break in using this product and when you have finished using it, all exposed areas of the body must be washed. Always wash hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment



Generally

Only CE-marked personal protection equipment should be used.

Respiratory Equipment

No specific requirements.

Skin protection

No specific requirements.



Hand protection

Recommended: Nitrile rubber. . Breakthrough time: See the manufacturer's instructions

Eye protection

Use face shield. Use safety glasses with a side shield as an alternative.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form Colour Odour pH Viscosity Density (g/cm3)

Liquid Various colours Faint - - 0,88-0,98

Phase changes

Melting point (°C) Boiling point (°C) Vapour pressure (mm Hg)

-

Data on fire and explosion hazards

Flashpoint (°C) Ignition (°C) Self ignition (°C)

100 - -

Explosion limits (Vol %) Oxidizing properties

-

Solubility

Solubility in water n-octanol/water coefficient

Insoluble -

9.2. Other information

Solubility in fat Additional information

- N/A

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

The product is stable under the conditions, noted in the section on "Handling and storage".

10.3. Possibility of hazardous reactions

No special

10.4. Conditions to avoid

Do not expose to heat (e.g. sunlight), because it can lead to excess pressure.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidising agents, and strong catabolic agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Substance Species Test Route of exposure Result

No data available.

Skin corrosion/irritation

No data available.

Serious eye damage/irritation

No data available.

Respiratory or skin sensitisation

No data available.

Germ cell mutagenicity

No data available.

Carcinogenicity

No data available.

Reproductive toxicity

No data available.

STOT-single exposure



No data available.

STOT-repeated exposure

No data available.

Aspiration hazard

No data available.

Long term effects

Reproductive toxicity: This product contains teratogenic substances which can do long-term damage to human offspring. The effects on the child can be: death, deformity, delayed development, and functional disorders.

Reproductive toxicity: This product contains substances which can do damage to reproductive capacity, e.g. damage to germ cells or hormonal regulation. The effects can be: sterility, reduced fertility, menstruation disorders, etc.

Neurotoxic effect: This product contains organic solvents, which can have an effect on the nervous system. Symptoms of neurotoxicity can be: loss of appetite, headache, dizziness, whistling in the ears, tingling sensations in the skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer. The skin will then be more prone to absorb dangerous substances, e.g. allergens.

Sensitivity effects: This product contains substances which can give an allergic reaction on contact with skin. The allergic reaction will typically set in 12-72 hours after exposure as the substance penetrates the skin and reacts with proteins in the outer skin. The body's immune system sees the chemically changed protein as a foreign body and will try to destroy it.

SECTION 12: Ecological information

12.1. Toxicity

Substance Species Test Test duration Result

No data available.

12.2. Persistence and degradability

Substance Biodegradability Test Result

No data available.

12.3. Bioaccumulative potential

Substance Potential bioaccumulation LogPow BFC

No data available.

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

This product contains ecotoxic substances which can have damaging effects on water-organisms. This product contains substances which can cause undesirable long-term effects in the water environment, due to its poor biodegradability.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

The product is covered by the regulations on dangerous waste.

Waste

EWC code

Specific labelling

Contaminated packing

Packaging which contains leftovers from the product must be disposed of in the same way as the product.

SECTION 14: Transport information

Not listed as dangerous goods under ADR and IMDG regulations.

14.1 - 14.4

ADR/RID

14.1. UN
number
name

14.2. UN proper shipping
class(es)

14.3. Transport hazard
class(es)

Notes



IMDG UN-no. Proper Shipping Name Class PG* EmS MP** Hazardous constituent

14.5. Environmental hazards

14.6. Special precautions for user

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No data available

(*) Packing group

(**) Marine pollutant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

People under the age of 18 must not be exposed to this product cf. Council Directive 94/33/EC. For exceptions, see the Danish Working Environment Authority's Executive Order No. 239 of 6 April 2005.

Demands for specific education

Additional information

15.2. Chemical safety assessment

Nο

SECTION 16: Other information'

Sources

EC regulation 1907/2006 (REACH)

Directive 2000/532/EC

EC Regulation 1272/2008 (CLP)

Full text of H/R-phrases as mentioned in section 3

R43 - May cause sensitisation by skin contact.

R62 - Possible risk of impaired fertility.

R65 - Harmful: may cause lung damage if swallowed.

R66 - Repeated exposure may cause skin dryness or cracking.

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

H304 - May be fatal if swallowed and enters airways.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eve irritation.

H361 - Suspected of damaging fertility or the unborn child.

H400 - Very toxic to aquatic life.

H410 - Very toxic to aquatic life with long lasting effects.

EUH066 - Repeated exposure may cause skin dryness or cracking.

The full text of identified uses as mentioned in section 1

Other symbols mentioned in section 2

Other

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

A change (in proportion to the last essential change (first cipher in SDS version)) is marked with a blue triangle.

The safety data sheet is validated by

LFH



According to EC-Regulation 1907/2006 (REACH)

Date of last essential change (First cipher in SDS version)

Date of last minor change (Last cipher in SDS version)

ALPHAOMEGA. Licens nr.:2603245550, WoodCare Denmark A/S www.chymeia.com



Safety data sheet

Natural Soap

1. Identification of the substance/preparation and of the company/undertaking

Prepared on: 06-10-2010/ LFH

Replaces: 26-11-2008

Product use: Floor soap

Distributor:

WoodCare Denmark A/S

Tværvei 6

6640 Lunderskov

Tel:99585600 Fax:99585634

Emergency telephone number: 99585600

The emergency telephone is open between 8 a.m. and 4

p.m. on workdays.

Contact person:Environmental Department

Email: info@ttwoodcare

2. Hazards identification

DSD/DPD-classification

The product shall not be classified as hazardous according to the national classification and labelling rules.

3. Composition/information on ingredients

Einecs no. CAS No.

Substances
Contains no substances subject to reporting

DSD-Classification

w/w%

requirements.

Please see section 16 for the full text of the R-phrases

Other information

Declaration in compliance with EC regulation no. 648/2004 15-30% soap

4. First aid measures

Inhalation

Seek fresh air.

Ingestion

Rinse mouth thoroughly and then drink plenty of water. Do not induce vomiting. Seek medical advice if symptoms persist.

Skin

Wash skin with soap and water.

Eyes

Rinse immediately with water (preferably using eye wash) for at least 5 minutes. Open eyes wide. Remove any contact lenses. Seek medical advice if irritation persists.

Other information

When obtaining medical advice, show the safety data sheet or label. Symptoms: See section 11.

5. Fire-fighting measures

The product is not directly flammable. Avoid inhalation of vapour and flue gases - seek fresh air.

WoodCare Denmark A/S Tværvej 6, 6640 Lunderskov Tlf.: 99585600 Fax: 99585634, www.woodcaredenmark.com

Prepared on: 06-10-2010/LFH
Replaces: 26-11-2008

Natural Soap

(epiaces, 20 11 2000

6. Accidental release measures

Prevent spillage from entering drains and/or surface water.

7. Handling and storage

Handling

See section 8 for information about precautions for use and personal protective equipment.

Storage

Store safely, out of reach of children and not together with food, animal feeding stuffs, medicines, etc. Do not expose to heat (e.g. sunlight). Store frost-free. Keep in tightly closed original packaging.

8. Exposure controls/ personal protection

Precautions for use

No special requirements.

Respiratory protection

Not required.

Gloves and protective clothing

Wear protective gloves made of nitrile rubber,

Eye protection

Wear safety goggles if there is a risk of eye splash.

Occupational exposure limits

Contains no substances subject to reporting requirements.

9. Physical and chemical properties

State: Liquid

pH (concentrate): ca. 9,7 Density: - g/ml 1,01- 1,03

10. Stability and reactivity

The product is stable when used in accordance with the supplier's directions.

11. Toxicological information

Acute

Inhalation

Inhalation of vapours may cause irritation to the upper airways.

Ingestion

Irritates mucous membranes in mouth and gastrointestinal tract.

Skin contact

Degreases and dries the skin. Repeated exposure may cause skin dryness or cracking.

Eye contact

May cause eye irritation.

Long-term effects

None known.

 $WoodCare\ Denmark\ A/S\ Tværvej\ 6,\ 6640\ Lunderskov\ Tlf.:\ 99585600\ Fax:\ 99585634,\ www.woodcaredenmark.com$

Prepared on: 06-10-2010/LFH
Replaces: 26-11-2008

Natural Soap

12. Ecological information

Do not discharge large quantities of concentrated spills and residue into drains.

13. Disposal considerations

Contact the local authorities.

14. Transport information

The product is not covered by the rules for transport of dangerous goods by road and sea according to ADR and IMDG.

15. Regulatory information

Hazard designation: It has been assessed that the product shall not be classified as hazardous according to the national classification and labelling rules.

Other labelling

None.

Chemical safety assessment

Chemical safety assessment has not been performed.

16. Other information

Restrictions on use

None.

Training requirement

No special training is required, but a thorough knowledge of this safety data sheet should be a prerequisite condition.

Sources used

Other information

This safety data sheet was prepared from information provided by the supplier about physical/chemical properties and all ingredients in the product.

Full text of the R-phrases that are stated in section 3.

No R-phrases.

Amendments have been made in the following sections

3,7,9

WoodCare Denmark A/S Tværvej 6, 6640 Lunderskov Tlf.: 99585600 Fax: 99585634, www.woodcaredenmark.com (Made in Toxido®) UK