according to EEC-Regulation 91/155/EEC

Manufacturer/Supplier:	Osmo Holz und Color GmbH & Co. KG Lütkenbecker Weg 6-10, D-48155 Münster	
Trade name:	8016 Osmo Wash and Care	
Status: 04.03.2004	Date of printing: 08/03/06	Page: Seite: 1/4

1) Identification of the substance/preparation and company

Product details Trade name

8016 Osmo Wash and Care Identification of the manufacturer / supplier Address Osmo Holz und Color GmbH & Co. KG Lütkenbecker Weg 6-10 D-48155 Münster Telephone no. +49 (0) 251 692-0 Fax no. +49 (0) 251 692-462 Information provided by / telephone +49 (0) 251 692-0 Emergency telephone number

+49 (0)30 192 40 (Toxic Substance Emergency Call Centre Berlin)

2) Composition / information on ingredients

Chemical characterization

Cleaner on the basis of soaps (5-15 %), nonionic surfactants (1-5 %) and anionic surfactants (1-5 %).

Other information (chapter 2.)

The product does not require a hazard warning label in accordance with EC Directive 88/379

3) Hazards possibilities

Hazard designation

Hazard symbols

ΝΟΝΕ

R phrases

ΝΟΝΕ

Particular information pertaining specific risk for human / environment No particular hazards known.

4) First aid measures

After inhalation

Ensure supply of fresh air.

After skin contact

In case of contact with skin wash off with water.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.)

After ingestion

Do not induce vomiting.

Rinse mouth thoroughly with water.

By continuous complaints consult a physician.

5) Fire-fighting measures

Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

6) Accidental release measures

Personal precautions

Refer to protective measures listed in sections 7 and 8.

Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

Methods for cleaning up/taking up

Pick up mechanically.

Pick up rest with absorbent material (e.g. sand).

EC safety data sheet

according to EEC-Regulation 91/155/EEC

Manufacturer/Supplier:	Osmo Holz und Color GmbH & Co. KG Lütkenbecker Weg 6-10, D-48155 Münster	
Trade name:	8016 Osmo Wash and Care	
Status: 04.03.2004	Date of printing: 08/03/06	Page: Seite: 2/4

7) Handling and storage

Handling

Advice on safe handling No special measures necessary. Advice on protection against fire and explosion No special measures necessary. Storage Requirements for storage rooms and vessels Store product in closed containers. Always keep in containers of same material as the original one. Hints on storage assembly None known Further information on storage conditions Protect from frost. 8) Exposure controls / personal protection Ingredients with occupational exposure limits to be monitored NONE Personal protective equipment **Respiratory protection** In case of insufficient ventilation and during spray application respiratory protection necessary. Hand protection In case of intensive contact wear protective gloves. Eye protection Safety glasses recommended **Skin protection** Light protective clothing General protective and hygiene measures Observe the usual precautions when handling chemicals.

9) Physical and chemical properties

<u>Thysical and chemical propert</u>	103
Appearance	
Form	liquid
Colour	greenish
Odour	characteristic
Safety data	
Changes in physical state	
Туре	Boiling range
Value	app 100°C
Flash point	
·	not applicable
Vapour pressure	
Value	app 23 mbar
Reference temperature	20 °C
Reference substance	Water
Density	
Value	app 1,00 g/cm ³
Reference temperature	20 °C
pH value	
Value	app 9
Reference temperature	25 °C

EC safety data sheet

according to EEC-Regulation 91/155/EEC

Manufacturer/Supplier:

Trade name: Status: 04.03.2004 Osmo Holz und Color GmbH & Co. KG Lütkenbecker Weg 6-10, D-48155 Münster 8016 Osmo Wash and Care Date of printing: 08/03/06

Page: Seite: 3/4

10) Stability and reactivity

Materials to avoid Acids Hazardous decomposition products No hazardous decomposition products known.

11) Toxicological information

Other information (chapter 11.)

Product specific toxicological data are not known. By appropriate use of the product no health damage is known.

12) Ecological information

 Data on elimination (persistence and degradability)

 Biodegradability

 Evaluation

 biodegradable

 General information / ecology

 Do not discharge into the drains or waters and do not store on public depositories.

13) Disposal considerations

Product

EWC waste code

200130 wastes not otherwise specified

Uncleaned packaging

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

14) Transport information

Other information (chapter 14.)

The product does not constitute a hazardous substance in national / international road, rail, sea and air transport.

EC safety data sheet	according to EEC-Regulatio	n 91/155/EEC
Manufacturer/Supplier:	Osmo Holz und Color GmbH & Co. KG Lütkenbecker Weg 6-10, D-48155 Münster	
Trade name:	8016 Osmo Wash and Care	
Status: 04.03.2004	Date of printing: 08/03/06	Page: Seite: 4/4

15) Regulatory information

Labelling in accordance with EC directives

The product does not require a hazard warning label in accordance with EC Directives.

Classification according to the 'Listing Principe' of the Guide lines for preparations (88/379/EEC).

Hazard symbols

-	NONE
R phrases	
-	ΝΟΝΕ
S phrases -	NONE

16) Other information Department issuing safety data sheet OSMO COLOR Farbenwerk Contact person Technical product management

This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.



Safety Data Sheet

according to 1907/2006/EC, Article 31

Page 1/7

Printing date 11.02.2008

Identification of the subs	tance/preparation and of the company/undertaking
Product details	
Trade name:	3029 Osmo Liquid Wax Cleaner, Clear
Application of the substance /	the
preparation	Maintenance product
	Cleaning agent/ Cleaner
Manufacturer/Supplier:	Osmo Holz und Color GmbH & Co. KG
	Affhüppen Esch 12
	D-48231 Warendorf
Further information obtainab	le
from:	Product safety department
	Phone: +49 (0) 251 / 692 - 188
	Fax: +49 (0) 251 / 692 - 462
	e-mail: helmut.starp@osmo.de
Information in case of	
emergency:	emergency phone no. Berlin (24h): +49 (0) 30 / 19240
Hazards identification	
Hazard description:	Not applicable.
Information concerning	
particular hazards for human	and
environment:	R 10 Flammable.
	R 66 Repeated exposure may cause skin dryness or cracking.
	R 67 Vapours may cause drowsiness and dizziness.
Classification system:	The classification is according to the latest editions of the EU-lists, and extended
	company and literature data.
Composition/information	an ingradiants
Compositions injor mattor	
Chemical characterization	
Description:	Mixture of substances listed below with nonhazardous additions.
Dangerous components:	
-	(petroleum), hydrotreated light Xn; R 10-65-66-67 50-100
EINECS: 265-151-9	
Regulation (EC) No 648/2004	on detergents / Labelling for contents
aliphatic hydrocarbons	≥ 30'
Additional information:	For the wording of the listed risk phrases refer to section 16.
First aid measures	
General information:	Take affected persons out into the fresh air.
	Immediately remove any clothing soiled by the product.



Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 11.02.2008

After inhalation:	(Contd. of page Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consu
Ајит иннишион.	doctor if symptoms persist.
After alive contracts	In case of unconsciousness place patient stably in side position for transportation. Immediately wash with water and soap and rinse thoroughly.
After skin contact: After eye contact:	Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing:	If swallowed, seek medical advice immediately and show this container or label.
Information for doctor:	in swallo wod, sook modical advice miniculatory and show and container of facely
The following symptoms may	
occur:	Headache
	Dizziness
5 Fire-fighting measures	
Suitable extinguishing agents:	CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
For safety reasons unsuitable	ioani.
extinguishing agents:	Water with full jet
Special hazards caused by the	
substance, its products of	
combustion or resulting gases:	Formation of toxic gases is possible during heating or in case of fire.
Protective equipment:	Mouth respiratory protective device.
Additional information	Dispose of fire debris and contaminated fire fighting water in accordance with offici
	regulations.
	Cool endangered receptacles with water spray.
5 Accidental release measures	
Person-related safety precautions:	
	Wear protective equipment. Keep unprotected persons away.
Manageness for an interest of	Keep away from ignition sources.
Measures for environmental protection:	Do not allow to enter sewers/ surface or ground water.
protection.	Inform respective authorities in case of seepage into water course or sewage system.
Measures for cleaning/collecting:	Warm water and cleansing agent
	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binder
	sawdust).
Additional information:	See Section 13 for disposal information.
7 Handling and storage	
7 Handling and storage Handling:	
	Keep receptacles tightly sealed.

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 11.02.2008

Revision: 11.02.2008

de name: 3029 Osmo Lio	de name: 3029 Osmo Liquid Wax Cleaner, Clear	
	(Contd. of pag	
	Keep away from heat and direct sunlight.	
	Prevent formation of aerosols.	
Information about fire - and		
explosion protection:	Keep ignition sources away - Do not smoke.	
	Protect against electrostatic charges.	
_	Totot ugunst ofortostudo ena ges.	
Storage:		
Requirements to be met by		
storerooms and receptacles:	Store only in the original receptacle.	
	Store in a cool location.	
Information about storage in o	ne	
common storage facility:	Do not store together with alkalis (caustic solutions).	
	Do not store together with oxidizing and acidic materials.	
Further information about		
storage conditions:	Keep container tightly sealed.	
	Store in cool, dry conditions in well sealed receptacles.	
Additional information about design of technical facilities:	No further data; see item 7.	
-	at require monitoring at the workplace:	
64742-49-0 Naphtha (petroleu		
TWA (8 H) Short-term value: 1	.000 mg/m ³	
Source UK SIA		
Additional information:	The lists valid during the making were used as basis.	
Personal protective equipment:		
General protective and hygieni	с	
measures:	Do not eat, drink, smoke or sniff while working.	
	Do not carry product impregnated cleaning cloths in trouser pockets.	
	Avoid contact with the eyes and skin.	
	Immediately remove all soiled and contaminated clothing	
	Keep away from foodstuffs, beverages and feed.	
Description and the stimus		
Respiratory protection:	Use suitable respiratory protective device only when aerosol or mist is formed.	
	Not necessary if room is well-ventilated.	
Protection of hands:	Protective gloves	
	The glove material has to be impermeable and resistant to the product/ the substar	
	the preparation.	
	Selection of the glove material on consideration of the penetration times, rates	
	diffusion and the degradation	
Material of gloves	diffusion and the degradation Nitrile rubber, NBR	

(Contd. on page 4)



Page 4/7

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 11.02.2008

Revision: 11.02.2008

Trade name: 3029 Osmo Liquid Wax Cleaner, Clear

(Contd. of page 3) **Penetration time of glove material** The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

General Information	
Form:	Fluid
Colour:	Colourless
Odour:	Mild
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	> 140°C
Flash point:	> 27°C
Ignition temperature:	287°C
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures a
	possible.
Explosion limits:	
Lower:	0.8 Vol %
Upper:	6.0 Vol %
Vapour pressure at 20°C:	10 hPa
Density at 20°C:	0.77 g/cm ³
Solubility in / Miscibility with	
water:	Fully miscible.
Viscosity:	
Kinematic at 20°C:	30 s (DIN 53211/4)



Page 5/7

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 11.02.2008

		(Contd. of page 4
0 Stability	and reac	tivity
condition. Dangerou	decompositi s to be avoi us decompo	<i>ded:</i> No decomposition if used according to specifications.
products:		Carbon monoxide and carbon dioxide Nitrogen oxides (NOx)
1 Toxicolo	ogical inf	ormation
Acute tox	icity:	
LD/LC50	values rele	vant for classification:
64742-49	-0 Naphtha	(petroleum), hydrotreated light
Oral	LD50	>2000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rat)
Inhalative	LC50 / 4h	>20 mg/l (rat)
Primary i	rritant effe	ct:
on the ski	n:	At long or repeated contact with skin it may cause dermatitis due to the degreasin effect of the solvent.
on the eye Sensitizat		Irritating effect. No sensitizing effects known.
2 Ecologi	cal inforn	nation
Ecotoxica	l effects:	
Acquatic	toxicity:	
64742-49	-0 Naphtha	(petroleum), hydrotreated light
EC50 <12	30 mg/kg (0	Dncorhynchus mykiss (Regenbogenforelle))
>1	00 mg/kg (s	elenastrum capricornutum)
General n	otes:	Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow product to reach ground water, water course or sewage system.
13 Disposa	l consider	rations
Product:		
		Must not be disposed together with household garbage. Do not allow product to reac



Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 11.02.2008

	(Contd. of pag
European waste catalogue	
08 01 11 waste paint and varnish	containing organic solvents or other dangerous substances
15 01 10 packaging containing re	sidues of or contaminated by dangerous substances
Uncleaned packaging:	
Recommendation:	Disposal must be made according to official regulations.
Recommended cleansing agents:	Solvent naphtha
Transport information	
Land transport ADR/RID (cross-	-border)
ADR/RID class:	3 Flammable liquids.
Danger code (Kemler):	30
UN-Number:	1263
Packaging group:	III
Hazard label:	3
Description of goods:	1263 PAINT
Maritime transport IMDG:	
IMDG Class:	3
UN Number:	1263
Label	3
Packaging group:	III
EMS Number:	F-E,S-E
Marine pollutant:	No
Proper shipping name:	PAINT
Air transport ICAO-TI and IATA	
ICAO/IATA Class:	3
UN/ID Number:	1263
Label	3
Packaging group:	III
Proper shipping name:	PAINT
Regulatory information	
Labelling according to EU	
guidelines:	Observe the general safety regulations when handling chemicals.
	Although this product is not subject to identification regulations, we recommend t the safety suggestions are observed.

- 66 Repeated exposure may cause skin dryness or cracking.
- 67 Vapours may cause drowsiness and dizziness.



Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 11.02.2008

		(Contd. of page
Safety phrases:	2	Keep out of the reach of children.
	16	Keep away from sources of ignition - No smoking.
	24/25 Avoid contact with skin and eyes.	
	26	In case of contact with eyes, rinse immediately with plenty of water and see medical advice.
	46	If swallowed, seek medical advice immediately and show this container or labe
	51	Use only in well-ventilated areas.
Special labelling of certain		
preparations:	Safe	ty data sheet available for professional user on request.
Other information		
Other information	ur present	knowledge. However, this shall not constitute a guarantee for any specific produ
Other information This information is based on ou features and shall not establish	ur present a legally	knowledge. However, this shall not constitute a guarantee for any specific produ
<i>Other information</i> This information is based on ou	ur present a legally 10 F	knowledge. However, this shall not constitute a guarantee for any specific produ valid contractual relationship.
Other information This information is based on ou features and shall not establish	ur present a legally 10 F 65 H	knowledge. However, this shall not constitute a guarantee for any specific produvalid contractual relationship.
Other information This information is based on ou features and shall not establish	ur present a legally 10 F 65 H 66 R	knowledge. However, this shall not constitute a guarantee for any specific produvalid contractual relationship. lammable. lammable.
Other information This information is based on ou features and shall not establish	ur present a legally v 10 F 65 H 66 R 67 V	knowledge. However, this shall not constitute a guarantee for any specific produvalid contractual relationship. lammable. larmful: may cause lung damage if swallowed. epeated exposure may cause skin dryness or cracking.