

Revision nr.4 Dated 09/06/2015 Printed on 26/06/2015 Page n. 1 / 8

Safety data sheet

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 44990EN
Product name Fattore RH

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Ageing treatment for wood

1.3. Details of the supplier of the safety data sheet

Name NEW CHEMICAL PREVENTION S.N.C. DI GAVIOLI GABRIELE & C.

Full address VIA MAESTRI DEL LAVORO, 10

District and Country 41034 FINALE EMILIA (MO)

ITALIA

Tel. 0535/91336 Fax 0535/93763

e-mail address of the competent person responsible for the Safety Data Sheet

info@newchemical.it

1.4. Emergency telephone number

For urgent inquiries refer to 24 HOURS ON 24

CENTRO ANTIVELENI AZIENDA OSPEDALIERA "S.G.BATTISTA" – MOLINETTE DI

TORINO CORSO A.M. DOGLIOTTI, 14 TORINO 011/6637637 011/6672149
CENTRO ANTIVELENI OSPEDALE NIGUARDA CA""""" GRANDA P.ZZA

OSPEDALE MAGGIORE, 3 MILANO 02/66101029 02/64442769

CEN.NAZ.INFORM.TOSSIC.FOND. S.MAUGERI CLINICA DEL LAVORO E DELLA

RIABILITAZIONE VIA A.FERRATA, 8 PAVIA 0382/24444 0382/24605

SERV. ANTIV. - CEN.INTERDIPARTIMENTALE DI RICERCA SULLE INTOSSICAZIONI

ACUTE DIP.DI FARMAC."E.MENEGHETTI" UNIVERSITÀ DEGLI STUDI DI PADOVA

LARGO E.MENEGHETTI,2 PADOVA 049/8275078 049/8270593

SERVIZIO ANTIVELENI SERV.PR.SOCC.,ACCETT. E OSS. ISTITUTO SCIENTIFICO

"G. GASLINI" LARGO G. GASLINI, 5 GENOVA 010/5636245 010/3760873

CENTRO ANTIVELENI - U.O. TOSSICOLOGIA MEDICA AZIENZA OSPEDALIERA

DEL SACRO CUORE LARGO F.VITO, 1 ROMA 06/3054343 06/3051343

CENTRO ANTIVELENI AZIANDA OSPEDALIERA A. CARDARELLI VIA CARDARELLI,

9 NAPOLI 081/7472870 081/7472880

CENTRO ANTIVELENI - ISTITUTO DI ANESTESIOLOGIA E RIANIMAZIONE UNIVERSITÀ DEGLI STUDI DI ROMA "LA SAPIENZA" VIALE DEL POLICLINICO, 155 ROMA 06/49970698 06/4461967 ACTIVE FROM MONDAY FRIDAY FROM 8,00 TO

20,00

SECTION 2. Hazards identification.

2.1. Classification of the substance or mixture.

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP).

However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to EC Regulation 1907/2006 and subsequent amendments.

Hazard classification and indication: --

2.2. Label elements.

Hazard pictograms: --

Signal words: --

Hazard statements:

EUH210 Safety data sheet available on request.

Precautionary statements: --



Revision nr.4 Dated 09/06/2015 Printed on 26/06/2015 Page n. 2 / 8

SECTION 2 Hazards identification .../>>

2.3. Other hazards.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

SECTION 3. Composition/information on ingredients.

3.1. Substances.

Information not relevant.

3.2. Mixtures.

Contains:

Identification. Conc. %. Classification 1272/2008 (CLP).

DIPROPYLENE GLYCOL MONOMETHYL ETHER

CAS. 34590-94-8 4 - 4,5 Substance with a community workplace exposure limit.

EC. 252-104-2

INDEX.

PROPAN-2-OL

CAS. 67-63-0 1 - 1,5 Flam. Liq. 2 H225, Eye Irrit. 2 H319, STOT SE 3 H336

EC. 200-661-7 INDEX. 603-117-00-0

Note: Upper limit is not included into the range.

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures.

4.1. Description of first aid measures.

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed.

For symptoms and effects caused by the contained substances, see chap. 11.

4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

SECTION 5. Firefighting measures.

5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT

Extinguishing substances are: carbon dioxide, foam, chemical powder. For product loss or leakage that has not caught fire, water spray can be used to disperse flammable vapours and protect those trying to stem the leak.

UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use jets of water. Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Excess pressure may form in containers exposed to fire at a risk of explosion. Do not breathe combustion products.

5.3. Advice for firefighters.

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).





Revision nr.4 Dated 09/06/2015 Printed on 26/06/2015 Page n. 3 / 8

SECTION 6. Accidental release measures.

6.1. Personal precautions, protective equipment and emergency procedures.

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up.

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Check incompatibility for container material in section 7. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Vapours may catch fire and an explosion may occur; vapour accumulation is therefore to be avoided by leaving windows and doors open and ensuring good cross ventilation. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. When performing transfer operations involving large containers, connect to an earthing system and wear antistatic footwear. Vigorous stirring and flow through the tubes and equipment may cause the formation and accumulation of electrostatic charges. In order to avoid the risk of fires and explosions, never use compressed air when handling. Open containers with caution as they may be pressurised. Do not eat, drink or smoke during use. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities.

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Store in a well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s).

Information not available.

SECTION 8. Exposure controls/personal protection.

8.1. Control parameters.

Regulatory References:

AUS Österreich Grenzwerteverordnung 2011 - GKV 2011
DEU Deutschland MAK-und BAT-Werte-Liste 2012
GRB United Kingdom EH40/2005 Workplace exposure limits

IRL Éire Code of Practice Chemical Agent Regulations 2011

ITA Italia Decreto Legislativo 9 Aprile 2008, n.81

EU OEL EU Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC.

TLV-ACGIH ACGIH 2014

			DIPROP'	YLENE GLYCO	L MONOME.	THYL ETHER
Threshold Limit \	/alue.					
Type	Country	TWA/8h		STEL/15min		
		mg/m3	ppm	mg/m3	ppm	
MAK	AUS	307	50	614	100	SKIN.
AGW	DEU	310	50	310	50	
MAK	DEU	310	50	310	50	
WEL	GRB	308	50			SKIN.
OEL	IRL	308	50			SKIN.
TLV	ITA	308	50			SKIN.
OEL	EU	308	50			SKIN.
TLV-ACGIH		606	100	909	150	SKIN.



Revision nr.4 Dated 09/06/2015 Printed on 26/06/2015 Page n. 4 / 8

SECTION 8. Exposure controls/personal protection. .../>>

	PROPAN-2-OL											
Threshold Limit V	alue.											
Type	Country	TWA/8h		STEL/15	min							
		mg/m3	ppm	mg/m3	ppm							
MAK	AUS	500	200	2000	800							
AGW	DEU	500	200	1000	400							
MAK	DEU	500	200	1000	400							
WEL	GRB	999	400	1250	500							
OEL	IRL		200		400	SKIN.						
TLV-ACGIH		492	200	983	400							

Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, wear a mask with a type AX filter, whose limit of use will be defined by the manufacturer (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

Appearance Colour grigio/bluastro Odour characteristic Odour threshold. Not available. ρH. 2.2 Melting point / freezing point. Not available. Initial boiling point. 35 °C. Boiling range. Not available. Flash point. 60 °C. **Evaporation Rate** Not available. Flammability of solids and gases not flammable Lower inflammability limit. Not available. Upper inflammability limit. Not available. Lower explosive limit. Not applicable. Upper explosive limit. Not applicable. Vapour pressure. Not available. Vapour density Not available. 0.998 Relative density. Kg/I Solubility soluble in water Partition coefficient: n-octanol/water Not available. Auto-ignition temperature. Not available. Not available. Decomposition temperature. Viscosity Not available. Explosive properties Not available.





Revision nr.4 Dated 09/06/2015 Printed on 26/06/2015 Page n. 5 / 8

SECTION 9. Physical and chemical properties.

Oxidising properties Not available.

9.2. Other information.

Solid content. 0,12 %

VOC (Directive 1999/13/EC): 10,87 % - 108,46 g/litre. VOC (volatile carbon): 5,95 % - 59,40 g/litre.

SECTION 10. Stability and reactivity.

10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

DIPROPYLENE GLYCOL MONOMETHYL ETHER: may react with oxidising agents. When heated to decomposition it releases harsh and irritating fumes and vapours.

10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

The vapours may also form explosive mixtures with the air.

10.4. Conditions to avoid.

Avoid overheating. Avoid bunching of electrostatic charges. Avoid all sources of ignition.

10.5. Incompatible materials.

Information not available.

10.6. Hazardous decomposition products.

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.

SECTION 11. Toxicological information.

11.1. Information on toxicological effects.

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

DIPROPYLENE GLYCOL MONOMETHYL ETHER
LD50 (Oral). 5660 mg/kg ratto
LD50 (Dermal). 9500 mg/kg coniglio

PROPAN-2-OL

 LD50 (Oral).
 4710 mg/kg Rat

 LD50 (Dermal).
 12800 mg/kg Rat

 LC50 (Inhalation).
 72,6 mg/l/4h Rat

SECTION 12. Ecological information.

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or sewers or contaminate soil or vegetation.

12.1. Toxicity.

DIPROPYLENE GLYCOL MONOMETHYL ETHER

LC50 - for Fish. > 10000 mg/l/96h Pesce

12.2. Persistence and degradability.

DIPROPYLENE GLYCOL MONOMETHYL ETHER

Solubility in water. mg/l 1000 - 10000

Biodegradability: Information not available.

Rapidly biodegradable.

PROPAN-2-OL

Rapidly biodegradable.



Revision nr.4 Dated 09/06/2015 Printed on 26/06/2015 Page n. 6 / 8

SECTION 12. Ecological information

12.3. Bioaccumulative potential.

DIPROPYLENE GLYCOL MONOMETHYL ETHER

0,0043 Partition coefficient: n-octanol/water.

PROPAN-2-OL

0,05 Partition coefficient: n-octanol/water.

12.4. Mobility in soil.

Information not available.

12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects.

Information not available.

SECTION 13. Disposal considerations.

13.1. Waste treatment methods.

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information.

14.1. UN number.

Not applicable.

14.2. UN proper shipping name.

Not applicable.

14.3. Transport hazard class(es).

Not applicable.

14.4. Packing group.

Not applicable.

14.5. Environmental hazards.

Not applicable.

14.6. Special precautions for user.

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code.

Information not relevant.

SECTION 15. Regulatory information.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

Seveso category.

None.

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006.

Substances in Candidate List (Art. 59 REACH).

Substances subject to authorisarion (Annex XIV REACH).



Revision nr.4 Dated 09/06/2015 Printed on 26/06/2015 Page n. 7 / 8

SECTION 15. Regulatory information. .../>>

None.

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None.

Substances subject to the Rotterdam Convention:

None.

Substances subject to the Stockholm Convention:

None.

Healthcare controls.

Information not available.

Product not intended for uses provided for by Dir. 2004/42/CE.

15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information.

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 2 Flammable liquid, category 2 Eye Irrit. 2 Eye irritation, category 2

STOT SE 3 Specific target organ toxicity - single exposure, category 3

H225 Highly flammable liquid and vapour.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.
 EUH210 Safety data sheet available on request.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY


- 1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EU) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 453/2010 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament

ΕN

Revision nr.4

Page n. 8 / 8

Dated 09/06/2015 Printed on 26/06/2015





Fattore RH

SECTION 16. Other information. .../>>

- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review:

The following sections were modified:

02/08/09/11/12/14/16.