			EC) No. 1907/2006) No 453/2010	(REACH)		
acco	ing to Re	guiation (EO) NO 453/2010			
Article Print c Versic	late:	650-007170 22.06.2015 6.0	UN1CO CLEAR Revision date: 27 Issue date: 31.03		EN Page 1 / 6	SINCE 1929
	SECTION	1: Identificat	tion of the substance	e/mixture and of the com	ipany/undertakin	ıg
1.1.	Product id	entifiers				
		(manufacturer/son of the substa		650-007170 UN1CO CLEAR CIRANOVA		
1.2.	Relevant i	dentified uses	of the substance or m	ixture and uses advised ag	jainst	
1.3.	Details of t	the supplier of	the safety data sheet			
			mporter/downstream ເ	iser/distributor)		
	Debal Coat Industriewe B-8800Bev		9	Telephone: +32 51 30 11 Telefax: +32 51 26 48	40	
		onsible for inf	ormation:			
	Labo: E-mail (con	npetent person)	info@debalcoatings.be		
1.4.		y telephone nı				
		telephone nun	nber Friday from 8:00 am to	+32 51 30 11 40		
		2: Hazards i	-	4.00 pm)		
2.1.			stance or mixture	4070/0000 [CL D]		
		-	to Regulation (EC) No			
	This mixtur	e is classified a	as not nazardous accord	ing to regulation (EC) 1272/2	2008 [CLP].	
2.2.	Label elem	nents				
	Labelling a	according to R	egulation (EC) No. 127	2/2008 [CLP]		
	Hazard pic	tograms				
	Hazard sta	itements n.a.				
	Precautior	nary statement	S			
		n.a.				
	contains:					
	. .	n.a.				
	EUH208 EUH210	Cor	formation (EU) ntains 2-butanone oxime ety data sheet available	.May produce an allergic rea on request.	action.	
2.3.	Other haza	ards				
	SECTION	3: Composit	ion / information on	ingredients		
3.2.	Mixtures					
	Product de	escription / ch	emical characterization	n		
	Descriptio	n				
	Hazardous	s ingredients				
	Classificat EC No. CAS No.	RE	to Regulation (EC) No ACH No. emical name	. 1272/2008 [CLP]		Wt %
	INDEX No.		emical name ssification			Remark
	202-496-6		2119539477-28			
	96-29-7		utanone oxime	A 1040 / Eve Deve 4		0,5 - 1
	616-014-00)-0 Car H3 ⁻		ox. 4 H312 / Eye Dam. 1	DJID / SKIN SENS	<i>5</i> . I



Article No.:	650-007170	UN1CO CLEAR
Print date:	22.06.2015	Revision date: 27.05.2015
Version:	6.0	Issue date: 31.03.2015

EN Page 2 / 6

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Extinguishing media which must not be used for safety reasons: strong water jet

5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways. Treat runoff as hazardous.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep away from sources of ignition. Ventilate affected area. Do not breathe vapours.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see chapter 13). Clean using cleansing agents. Do not use solvents.

6.4. Reference to other sections

Observe protective provisions (see chapter 7 and 8).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid formation of flammable and explosive vapour concentrations in the air and exceeding the exposure limit values. Only use the material in places where open light, fire and other flammable sources can be kept away. Electrical equipment must be protected meeting the accepted standard. Product may become electrostatically charged. Provide earthing of containers, equipment, pumps and ventilation facilities. Anti-static clothing including shoes are recommended. Floors must be electrically



Article No.:	650-007170	UN1CO CLEAR		
Print date:	22.06.2015	Revision date: 27.05.2015	EN	ℓ
Version:	6.0	Issue date: 31.03.2015	Page 3 / 6	

conductive. Keep away from heat sources, sparks and open flames. Use only spark proof tools. Avoid contact with skin, eyes and clothes. Do not inhale dusts, particulates and spray mist when using this preparation. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to chapter 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

Materials such as cleaning rags, paper wipes and protective clothing, which are contaminated with the product may spontaneously self-ignite some hours later.

To avoid the risks of fires, all contaminated materials should be stored in purpose-built containers or in metal containers with tight-fitting self-closing lids.

laid out flat in a single layer to dry

placed in a closed metal container soaked with water

washed out well with warm soapy water before disposal

Contaminated materials should be removed from the workplace at the end of each working day and be stored outside.

Precautions against fire and explosion:

Vapours are heavier than air. Vapours form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRBS 2153)".

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 25 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values:

n.a.

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

Occupational exposure controls

Respiratory protection

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.

Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm ; Breakthrough time (maximum wearing time) > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles DIN EN 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye protection

Wear closely fitting protective glasses in case of splashes.

Protective clothing

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.



Article No.:	650-007170	UN1CO CLEAR
Print date: Version:	22.06.2015 6.0	Revision date: 27.05.2015 Issue date: 31.03.2015
Version.	0.0	1550e uale. 51.05.2015

EN Page 4 / 6

Environmental exposure controls

Do not allow to enter into surface water or drains. See chapter 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties 9.1. Appearance: **Physical state** liquid Colour refer to label Odour characteristic Method Safety relevant basis data Unit Remark °C > 65 Flash point: Ignition temperature in °C: n.b. Lower explosion limit: n.b. Upper explosion limit: n.b. Vapour pressure at 20 °C: n.b. Density at 20 °C: 0,96 g/cm³ Water solubility (q/L): insoluble pH at 20 °C: Viscosity at 20 °C: 40 s 4 mm DIN 53211 Solvent separation test (%): < 3 % ADR/RID Solid content (%): 99,10 Wt % solvent content: Organic solvents: 0.0 Wt % Water: 0.0 Wt % 9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to chapter 7.

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4. Conditions to avoid

Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5. Incompatible materials

10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

SECTION 11: Toxicological information

Classification according to Regulation (EC) No. 1272/2008 [CLP] No data on preparation itself available.

11.1. Information on toxicological effects

Acute toxicity

Toxicological data are not available.

skin corrosion/irritation; Serious eye damage/eye irritation

Toxicological data are not available.

Respiratory or skin sensitisation

Toxicological data are not available.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Toxicological data are not available.

Specific target organ toxicity

Toxicological data are not available.

	<u>CIRANOVA®</u>
EN Page 5 / 6	

Article No.:	650-007170	UN1CO CLEAR
Print date:	22.06.2015	Revision date: 27.05.2015
Version:	6.0	Issue date: 31.03.2015

Aspiration hazard

Toxicological data are not available.

Practical experience/human evidence

Other observations:

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

Overall Assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

SECTION 12: Ecological information

overall evaluation

Classification according to Regulation (EC) No. 1272/2008 [CLP] There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

12.1. Toxicity

Toxicological data are not available.

12.2. **Persistence and degradability** Toxicological data are not available.

12.3. Bioaccumulative potential

Toxicological data are not available.

- 12.4. **Mobility in soil** Toxicological data are not available.
- 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product

Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

List of proposed waste codes/waste designations in accordance with EWC

080112 waste paint and varnish other than those mentioned in 080111

packaging

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

SECTION 14: Transport information

No dangerous good in sense of this transport regulation.

14.1. UN number

n.a.

- 14.2. UN proper shipping name
- 14.3. Transport hazard class(es)
- 14.4. Packing group

n.a.

n.a.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

	~ T D			7 A ®
_		AN	ICE 1929	\underline{A}

Print d /ersio		650-007170 22.06.2015 6.0	UN1CO CLEAR Revision date: 27.05.2015 Issue date: 31.03.2015	EN Page 6 / 6	CIRANOVA®		
14.5.	Environm	ental hazards					
	Land trans	sport (ADR/RID)	n.a.				
	Marine pol	llutant	n.a.				
14.6.	Special precautions for user Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage. Advices on safe handling: see parts 6 - 8						
	Additiona	l information					
		sport (ADR/RID) triction code					
		port (IMDG)					
	EmS-No.		n.a.				
14.7.	not applica	able	g to Annex II of MARPOL and the IBC	Code			
	SECTION 15: Regulatory information						
5.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture						
	EU legislation						
	Information according to 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline).VOC-value (in g/L) ISO 11890-2:0,000VOC-value (in g/L) ASTM D 2369:0,000						
	according to EU-regulation 2004/42/EC (appendix II) EU limit value for this product (cat. (Cat. A/j)): 550 g/l (2007)/500 g/l (2010). This product contains max 0,000 g/l VOC.						
	National regulations						
	Restrictions of occupation Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Other regulations, restrictions and prohibition regulations						
	Other reg	ulations, restriction	ons and prohibition regulations				
15.2.	Chemical Chemical	Safety Assessme safety assessment	nt s for substances in this preparation we	re not carried out.			
15.2.	Chemical Chemical	Safety Assessme	nt s for substances in this preparation we	re not carried out.			
15.2.	Chemical Chemical SECTION	Safety Assessme safety assessment I 16: Other infor of classification in	nt s for substances in this preparation we mation	Suspected of ca exposure if it is	ausing cancer (state route of conclusively proven that no		
15.2.	Chemical Chemical SECTION Full text of	Safety Assessme safety assessment 16: Other infor of classification in 1351 . 4 / H312 1 / H318	nt s for substances in this preparation we mation section 3:	Suspected of ca exposure if it is other routes of o Harmful in conta Causes serious	conclusively proven that no exposure cause the hazard). act with skin.		
15.2.	Chemical Chemical SECTION Full text of Carc. 2 / H Acute Tox. Eye Dam. Skin Sens Abbreviat For abbre chapter R.	Safety Assessment safety assessment 16: Other infor of classification in 1351 . 4 / H312 . 1 / H318 . 1 / H317 ions and acronyn viations and acro	ant s for substances in this preparation we mation section 3: Carcinogenicity Acute toxicity (dermal) Serious eye damage/eye irritation respiratory or skin sensitisation	Suspected of ca exposure if it is other routes of Harmful in conta Causes serious May cause an a	conclusively proven that no exposure cause the hazard). act with skin. eye damage. Ilergic skin reaction.		

EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.