WOOD AGEING AGENT PAGE 1/7

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: WOOD AGEING AGENT

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Registered company name: BLANCHON.

Address: 28, rue Charles Martin B.P. 105.69190.SAINT FONS.FRANCE.

Telephone: 00.33.4.72.89.06.09. Fax: 00.33.4.72.89.06.02.

fds@blanchon.com

1.4. Emergency telephone number: 00.33.1.45.42.59.59.

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

May produce an allergic reaction.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains C.I. REACTIVE BLACK 31. May produce an allergic reaction.

EUH208 Contains 1,2-BENZISOTHIAZOL-3(2H)-ONE. May produce an allergic reaction.

2.3. Other hazards

The mixture does not contain any substances classified as 'Substances of Very High Concern' (SVHC) by the European CHemical s Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition:

| Composition : | | | | |
|-------------------------|--------------------|------------|------|----------------|
| Identification | (EC) 1272/2008 | 67/548/EEC | Note | % |
| CAS: 13463-67-7 | | | [1] | 0 <= x % < 2.5 |
| EC: 236-675-5 | | | | |
| REACH: 01-2119489379-17 | | | | |
| TITANIUM DIOXIDE | | | | |
| CAS: 85585-91-7 | GHS07 | Xi | | 0 <= x % < 2.5 |
| EC: 287-793-9 | Wng | Xi;R43 | | |
| C.I. REACTIVE BLACK 31 | Skin Sens. 1, H317 | | | |

This Safety Data Sheet is prepared in accordance with Annex II to Regulation (EC) No 1907/2006

WOOD AGEING AGENT PAGE 2/7

| INDEX: 613-088-00-6 | GHS05, GHS07, GHS09 | Xn,N | | 0 <= x % < 2.5 |
|------------------------------|-----------------------|----------------|-----|----------------|
| CAS: 2634-33-5 | Dgr | Xn;R22 | | |
| EC: 220-120-9 | Acute Tox. 4, H302 | Xi;R38-R41-R43 | | |
| 1,2-BENZISOTHIAZOL-3(2H)-ONE | Skin Irrit. 2, H315 | N;R50 | | |
| | Eye Dam. 1, H318 | | | |
| | Skin Sens. 1, H317 | | | |
| | Aquatic Acute 1, H400 | | | |
| | M Acute = 1 | | | |
| INDEX: 019-002-00-8 | GHS05, GHS07 | С | [1] | 0 <= x % < 2.5 |
| CAS: 1310-58-3 | Dgr | C;R35 | | |
| EC: 215-181-3 | Acute Tox. 4, H302 | Xn;R22 | | |
| POTASSIUM HYDROXIDE | Skin Corr. 1A, H314 | | | |

Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4: FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

In the event of swallowing:

Seek medical attention, showing the label.

4.2. Most important symptoms and effects, both acute and delayed No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

Unsuitable methods of extinction

In the event of a fire, do not use:

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health. Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

This Safety Data Sheet is prepared in accordance with Annex II to Regulation (EC) No 1907/2006

WOOD AGEING AGENT PAGE 3/7

Consult the safety measures listed under headings 7 and 8.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Fire prevention:

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

- France (INRS - ED984 :2008) :

| CAS | VME-ppm: | VME-mg/m3: | VLE-ppm: | VLE-mg/m3: | Notes: | TMP No: |
|------------|----------|------------|----------|------------|--------|---------|
| 13463-67-7 | - | 10 | - | 1 | - | - |
| 1310-58-3 | - | - | - | 2 | - | - |

- UK / WEL (Workplace exposure limits, EH40/2005, 2007) :

| GTT TVEE (TVETKPIAGE EXPEGATE IIITIAE, ETTTO/2000, 2007): | | | | | |
|-----------------------------------------------------------|----------|---------|----------|--------------|------------|
| CAS | TWA: | STEL: | Ceiling: | Definition : | Criteria : |
| 13463-67-7 | 10 mg/m3 | - | - | - | TI |
| 1310-58-3 | _ | 2 mg/m3 | _ | _ | - |

Derived no effect level (DNEL) or derived minimum effect level (DMEL):

TITANIUM DIOXIDE (CAS: 13463-67-7)

Final use: Workers. Exposure method: Inhalation.

Potential health effects: Long term local effects.

DNEL: 10 ppm

Final use: Consumers. Exposure method: Ingestion.

Potential health effects: Long term systemic effects.

DNEL: 700 mg/kg body weight/day

This Safety Data Sheet is prepared in accordance with

Annex II to Regulation (EC) No 1907/2006

WOOD AGEING AGENT PAGE 4/7

Predicted no effect concentration (PNEC):

TITANIUM DIOXIDE (CAS: 13463-67-7)

Environmental compartment: Air.

PNEC: 1667 mg/kg

Environmental compartment: Soil.

PNEC: 100 mg/kg

Environmental compartment: Fresh water.

PNEC: 0.127 mg/l

Environmental compartment: Sea water.

PNEC: 1 mg/l

Environmental compartment: Intermittent waste water.

PNEC: 0.61 mg/l

Environmental compartment: Fresh water sediment.

PNEC: 1000 mg/kg

Environmental compartment: Marine sediment.

PNEC: 100 mg/kg

Environmental compartment: Waste water treatment plant.

PNEC: 100 mg/l

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

General information:

Physical state : Fluid liquid.

Important health, safety and environmental information

pH:Not stated.

Neutral.

Boiling point/boiling range: 100 °C. Flash point interval: Not relevant.

Vapour pressure (50°C): Below 110 kPa (1.10 bar).

Density: > 1

Water solubility: Soluble. Viscosity: v < 7 mm2/s (40°C)

Melting point/melting range : Not specified.
Self-ignition temperature : Not specified.

Decomposition point/decomposition range: Not specified.

9.2. Other information

V.O.C 10g/I

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

This Safety Data Sheet is prepared in accordance with Annex II to Regulation (EC) No 1907/2006

WOOD AGEING AGENT PAGE 5/7

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

- 10.4. Conditions to avoid
- 10.5. Incompatible materials

10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

No data available.

11.1.1. Substances

Acute toxicity:

TITANIUM DIOXIDE (CAS: 13463-67-7)
Oral route: LD50 > 10000 mg/kg

Species: Rat

Dermal route: LD50 > 10000 mg/kg

Species: Rabbit

Inhalation route: LC50 > 6.8 mg/l

Species : Rat

Skin corrosion/skin irritation:

TITANIUM DIOXIDE (CAS: 13463-67-7)

OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

Serious damage to eyes/eye irritation:

TITANIUM DIOXIDE (CAS: 13463-67-7)

OECD Guideline 405 (Acute Eye Irritation / Corrosion)

Respiratory or skin sensitisation:

TITANIUM DIOXIDE (CAS: 13463-67-7)

OECD Guideline 406 (Skin Sensitisation)

Specific target organ systemic toxicity - repeated exposure :

TITANIUM DIOXIDE (CAS: 13463-67-7)

Oral route: C = 3500 mg/kg bodyweight/jour

Species: Rat

Duration of exposure : 90 days
Inhalation route : C = 10 mg/litre/6h/day

Species: Rat

Duration of exposure: 90 days

11.1.2. Mixture

Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Substances

TITANIUM DIOXIDE (CAS: 13463-67-7)
Fish toxicity: LC50 > 100 mg/l

Species: Oncorhynchus mykiss

Duration of exposure: 96 h

OECD Guideline 203 (Fish, Acute Toxicity Test)

Crustacean toxicity: EC50 > 100 mg/l

Species : Daphnia magna

This Safety Data Sheet is prepared in accordance with Annex II to Regulation (EC) No 1907/2006

WOOD AGEING AGENT PAGE 6/7

Duration of exposure: 48 h

OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

Algae toxicity: ECr50 = 16 mg/l

Species: Pseudokirchnerella subcapitata

Duration of exposure: 72 h

Other guideline

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

TITANIUM DIOXIDE (CAS: 13463-67-7)

Biodegradability: no degradability data is available, the substance is considered as not degrading quickly.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/FC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14: TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

Exempt from transport classification and labelling.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- Regulation EC 1272/2008 modified by regulation EC 618/2012
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.

- Container information:

No data available.

- Particular provisions :

No data available.

15.2. Chemical safety assessment

No data available.

This Safety Data Sheet is prepared in accordance with Annex II to Regulation (EC) No 1907/2006

WOOD AGEING AGENT PAGE 7/7

SECTION 16: OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Contains:

Contains EC 287-793-9 C.I. REACTIVE BLACK 31. May produce an allergic reaction.

Title for H, EUH and R indications mentioned in section 3:

| , | |
|------|------------------------------------------|
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H400 | Very toxic to aquatic life. |
| R 22 | Harmful if swallowed. |
| R 35 | Causes severe burns. |
| R 38 | Irritating to skin. |
| R 41 | Risk of serious damage to eyes. |
| R 43 | May cause sensitisation by skin contact. |
| R 50 | Very toxic to aquatic organisms. |

Abbreviations:

DNEL: Derived No-Effect Level

PNEC: Predicted No-Effect Concentration

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

This Safety Data Sheet is prepared in accordance with Annex II to Regulation (EC) No 1907/2006